



TOK



↳ Tok H150

↳ Tok C 270 H150

↳ Tok C H150

↳ Tok H400

↳ Tok C 270 H400

↳ Tok C H400

↳ Tok H700

↳ Tok C 270 H700

↳ Tok C H700

↳ Tok H1000

↳ Tok C 270 H1000

↳ Tok C H1000

↳ Tok Q H150

↳ Tok QL H150

↳ Tok Q2L H150

↳ Tok Q H400

↳ Tok QL H400

↳ Tok Q2L H400

↳ Tok Q H700

↳ Tok QL H700

↳ Tok Q2L H700

↳ Tok Q H1000

↳ Tok QL H1000

↳ Tok Q2L H1000




TOK

The range


↘ Tok



↘ Tok



↘ Tok C 270



↘ Tok C



TOK
H150



TOK
H400



TOK
H700



TOK
H1000



TOK
C 270 H150



TOK
C 270 H400



TOK
C 270 H700



TOK
C 270 H1000



TOK
C H150



TOK
C H400




TOK
C H700




TOK
C H1000

↘ Tok Q



↘ Tok Q



↘ Tok QL



↘ Tok Q2L



TOK Q
H150



TOK Q
H400



TOK Q
H700



TOK Q
H1000



TOK QL
H150



TOK QL
H400



TOK QL
H700



TOK QL
H1000



TOK Q2L
H150



TOK Q2L
H400



TOK Q2L
H700



TOK Q2L
H1000

TOK

Installazione

Installation
Installation

Terra - Palo Ø60

Ground - Ø60 post
Sol - Poteau Ø60

Materiali

Materials
Materiels

Materiale Corpo: Alluminio | Tipo di diffusore: PMMA | Trattamento: Bordo mare

Material: Aluminium | Diffuser type: PMMA | Treatment: Sea treatment

Matériel du corps: Aluminium | Type de diffuseur: PMMA | Traitement: Bord de mer

Alimentazione

Power supply
Alimentation

220-240 V

Versioni

Versions
Versions

Cavo Alimentazione: 1 metro H05RN-F

Power cable: 1 m H05RN-F

Câble d'alimentation: 1 m H05RN-F

360°



TOK
H150

270°



TOK
C 270 H150

180°



TOK
C H150

360°



TOK
H400



270°



TOK
C 270 H400

180°



TOK
C H400

360°



TOK
H700

270°



TOK
C 270 H700



180°



TOK
C H700

360°



TOK
H1000

270°



TOK
C 270 H1000

180°



TOK
C H1000



COLOURS



Bianco RAL 9010
White RAL 9010
Blanc RAL 9010



Grigio High Tech RAL 9006
Grey High Tech RAL 9006
Gris High Tech RAL 9006



Grigio antracite RAL 7021
Grey anthracite RAL 7021
Gris anthracite RAL 7021



Corten
Corten
Corten

Tok H150

IP66 IK 10 20J xx9 CE UK ER	LED			COL.	CODE *	
	W	LM	REAL LM			
 360°	14	1860	650	220-240 V	LL128024 <input type="checkbox"/>	
					LL128003 <input type="checkbox"/>	
					LL128004 <input type="checkbox"/>	
					LL128005 <input type="checkbox"/>	

* Complete the CODE LED COLOUR N | 4000K 3 | 3000K 2 | 2700K 1 | 2200K

Tok C 270 H150

IP66 IK 10 20J xx9 CE UK ER	LED			COL.	CODE *	
	W	LM	REAL LM			
 270°	9	930	240	220-240 V	LL128060 <input type="checkbox"/>	
					LL128061 <input type="checkbox"/>	
					LL128062 <input type="checkbox"/>	
					LL128063 <input type="checkbox"/>	

* Complete the CODE LED COLOUR N | 4000K 3 | 3000K 2 | 2700K 1 | 2200K

Tok C H150

IP66 IK 10 20J xx9 CE UK ER	LED			COL.	CODE *	
	W	LM	REAL LM			
 180°	8	930	200	220-240 V	LL128023 <input type="checkbox"/>	
					LL128000 <input type="checkbox"/>	
					LL128001 <input type="checkbox"/>	
					LL128002 <input type="checkbox"/>	









* Complete the CODE LED COLOUR N | 4000K 3 | 3000K 2 | 2700K 1 | 2200K

Tok H400

IP66 IK 10 20J xx9 CE UK ER	LED			COL.	CODE *	
	W	LM	REAL LM			
 360°	14	1860	650	220-240 V	LL128032 <input type="checkbox"/>	
					LL128009 <input type="checkbox"/>	
					LL128010 <input type="checkbox"/>	
					LL128011 <input type="checkbox"/>	









* Complete the CODE LED COLOUR N | 4000K 3 | 3000K 2 | 2700K 1 | 2200K

Tok C 270 H400

IP66 IK 10 20J xx9 CE UK ER	LED			COL.	CODE *	
	W	LM	REAL LM			
 270°	9	930	240	 LL128064 <input type="checkbox"/>  LL128065 <input type="checkbox"/>  LL128066 <input type="checkbox"/>  LL128067 <input type="checkbox"/>	  220-240 V	









* Complete the CODE LED COLOUR N | 4000K 3 | 3000K 2 | 2700K 1 | 2200K

Tok C H400

IP66 IK 10 20J xx9 CE UK ER	LED			COL.	CODE *	
	W	LM	REAL LM			
 180°	8	930	200	 LL128033 <input type="checkbox"/>  LL128006 <input type="checkbox"/>  LL128007 <input type="checkbox"/>  LL128008 <input type="checkbox"/>	  220-240 V	









* Complete the CODE LED COLOUR N | 4000K 3 | 3000K 2 | 2700K 1 | 2200K

Tok H700

IP66 IK 10 20J xx9 CE UK ER	LED			COL.	CODE *	
	W	LM	REAL LM			
 360°	14	1860	650	 LL128018 <input type="checkbox"/>  LL128015 <input type="checkbox"/>  LL128016 <input type="checkbox"/>  LL128017 <input type="checkbox"/>	  220-240 V	






* Complete the CODE LED COLOUR N | 4000K 3 | 3000K 2 | 2700K 1 | 2200K

Tok C 270 H700

IP66 IK 10 20J xx9 CE UK ER	LED			COL.	CODE *	
	W	LM	REAL LM			
 270°	9	930	240	 LL128068 <input type="checkbox"/>  LL128069 <input type="checkbox"/>  LL128070 <input type="checkbox"/>  LL128071 <input type="checkbox"/>	  220-240 V	






* Complete the CODE LED COLOUR N | 4000K 3 | 3000K 2 | 2700K 1 | 2200K

Tok C H700

IP66 IK 10 20J xx9 CE UK ER  180°	LED			COL. CODE *  LL128020 <input type="checkbox"/>  LL128012 <input type="checkbox"/>  LL128013 <input type="checkbox"/>  LL128014 <input type="checkbox"/>	W LM REAL LM 8 930 200 ⊕ ⊙ 220-240 V	
	W	LM	REAL LM			






* Complete the CODE LED COLOUR N | 4000K 3 | 3000K 2 | 2700K 1 | 2200K

Tok H1000

IP66 IK 10 20J xx9 CE UK ER  360°	LED			COL. CODE *  LL128051 <input type="checkbox"/>  LL128052 <input type="checkbox"/>  LL128053 <input type="checkbox"/>  LL128054 <input type="checkbox"/>	W LM REAL LM 14 1860 650 ⊕ ⊙ 220-240 V	
	W	LM	REAL LM			








* Complete the CODE LED COLOUR N | 4000K 3 | 3000K 2 | 2700K 1 | 2200K

Tok C 270 H1000

IP66 IK 10 20J xx9 CE UK ER  270°	LED			COL. CODE *  LL128072 <input type="checkbox"/>  LL128073 <input type="checkbox"/>  LL128074 <input type="checkbox"/>  LL128075 <input type="checkbox"/>	W LM REAL LM 9 930 240 ⊕ ⊙ 220-240 V	
	W	LM	REAL LM			

* Complete the CODE LED COLOUR N | 4000K 3 | 3000K 2 | 2700K 1 | 2200K

Tok C H1000

IP66 IK 10 20J xx9 CE UK ER	LED			COL.	CODE *	
	W	LM	REAL LM			
 180°	8	930	200	 LL128047 □  LL128048 □  LL128049 □  LL128050 □	 220-240 V	

* Complete the CODE □ LED COLOUR N | 4000K 3 | 3000K 2 | 2700K 1 | 2200K


Accessori | Accessories | Accessoires

Staffa Tok in acciaio

Tok steel fixing base

Base de fixation en acier pour Tok

CoL.	Code
-	LB1280003



Morsettiera coassiale

Morsettiera coassiale a 3 poli, IP68, per cavo \varnothing 7/12 mm.


Coaxial Terminal block

Coaxial 3-pole terminal block, IP68, for cable diameter 7/12 mm.

Bornier coaxial

Bornier coaxial à 3 pôles, IP68, pour câble diam. 7/12 mm.

CoL.	Code
-	LB11293



Morsettiera lineare a 3 vie

Morsettiera lineare a 3 vie a 3 poli, IP68, per cavo \varnothing 7/13,5 mm.


3 way linear terminal block

3-way 3-pole linear terminal block, IP68, for cable \varnothing 7/13.5 mm.

Bornier linéaire 3 voies

Bornier linéaire 3 voies à 3 pôles, IP68, pour câble diam. 7/13,5 mm.

CoL.	Code
-	LB11294



TOK H700



TOK Q

Installazione

Installation
Installation

Terra - Palo Ø60

Ground - Ø60 post
Sol - Poteau Ø60

Materiali

Materials
Materiels

Materiale Corpo: Alluminio | Tipo di diffusore: PMMA | Trattamento: Bordo mare

Material: Aluminium | Diffuser type: PMMA | Treatment: Sea treatment
Matériel du corps: Aluminium | Type de diffuseur: PMMA | Traitement: Bord de mer

Alimentazione

Power supply
Alimentation

220-240 V

Versioni

Versions
Versions

Cavo Alimentazione: 1 metro H05RN-F

Power cable: 1 m H05RN-F

Câble d'alimentation: 1 m H05RN-F



TOK Q
H150



TOK QL
H150



TOK Q2L
H150



TOK Q
H400



TOK QL
H400



TOK Q2L
H400



TOK Q
H700



TOK QL
H700



TOK Q2L
H700



TOK Q
H1000



TOK QL
H1000



TOK Q2L
H1000

COLOURS



Bianco RAL 9010
White RAL 9010
Blanc RAL 9010



Grigio High Tech RAL 9006
Grey High Tech RAL 9006
Gris High Tech RAL 9006










Grigio antracite RAL 7021
Grey anthracite RAL 7021
Gris anthracite RAL 7021



Corten
Corten
Corten








Tok Q H150

IP66 IK 10 20J xx9 CE UK ER	LED			COL.	CODE *	
	W	LM	REAL LM			
	14	1920	630		 LL12810W□	
					 LL12810G□	
					 LL12810E□	
					 LL12810K□	

* Complete the CODE LED COLOUR N | 4000K 3 | 3000K 2 | 2700K 1 | 2200K








Emissione luminosa 360°. | Light beam 360°. | Angle d'éclairage 360°.

Tok QL H150

IP66 CE UK ER IK 10 20J xx9	LED			COL.	CODE *	
	W	LM	REAL LM			
	5	480	140		 LL12811W□	
					 LL12811G□	
					 LL12811E□	
					 LL12811K□	








* Complete the CODE LED COLOUR N | 4000K 3 | 3000K 2 | 2700K 1 | 2200K

Tok Q2L H150

IP66 IK 10 20J xx9 CE UK ER	LED			COL.	CODE *	
	W	LM	REAL LM			
	8	960	180		 LL12812W□	
					 LL12812G□	
					 LL12812E□	
					 LL12812K□	

* Complete the CODE LED COLOUR N | 4000K 3 | 3000K 2 | 2700K 1 | 2200K

Tok Q H400

IP66 IK 10 20J xx9 CE UK ER	LED			COL.	CODE *	
	W	LM	REAL LM			
	14	1920	630		 LL12813W□	
					 LL12813G□	
					 LL12813E□	
					 LL12813K□	

* Complete the CODE LED COLOUR N | 4000K 3 | 3000K 2 | 2700K 1 | 2200K

Emissione luminosa 360°. | Light beam 360°. | Angle d'éclairage 360°.

Tok QL H400

IP66 IK 10 20J xx9 CE UK ER	LED			COL.	CODE *	
	W	LM	REAL LM			
	5	480	140	220-240 V	LL12814W□	
					LL12814G□	
					LL12814E□	
					LL12814K□	

* Complete the CODE LED COLOUR N | 4000K 3 | 3000K 2 | 2700K 1 | 2200K

Tok Q2L H400

IP66 IK 10 20J xx9 CE UK ER	LED			COL.	CODE *	
	W	LM	REAL LM			
	8	960	180	220-240 V	LL12815W□	
					LL12815G□	
					LL12815E□	
					LL12815K□	

* Complete the CODE LED COLOUR N | 4000K 3 | 3000K 2 | 2700K 1 | 2200K

Tok Q H700

IP66 IK 10 20J xx9 CE UK ER	LED			COL.	CODE *	
	W	LM	REAL LM			
	14	1920	630	220-240 V	LL12816W□	
					LL12816G□	
					LL12816E□	
					LL12816K□	

* Complete the CODE LED COLOUR N | 4000K 3 | 3000K 2 | 2700K 1 | 2200K






Emissione luminosa 360°. | Light beam 360°. | Angle d'éclairage 360°.


Tok QL H700

IP66 IK 10 20J xx9 CE UK ER	LED			COL.	CODE *	
	W	LM	REAL LM			
	5	480	140	220-240 V	LL12817W□	
					LL12817G□	
					LL12817E□	
					LL12817K□	

* Complete the CODE LED COLOUR N | 4000K 3 | 3000K 2 | 2700K 1 | 2200K






Tok Q2L H700


IP66 IK 10 20J xx9 CE UK ER 	LED			COL. CODE *  LL12818W□  LL12818G□  LL12818E□  LL12818K□
	W	LM	REAL LM	
8	960	180	⊕ ⊖ 220-240 V	



* Complete the CODE LED COLOUR N | 4000K 3 | 3000K 2 | 2700K 1 | 2200K

Tok Q H1000






IP66 IK 10 20J xx9 CE UK ER 	LED			COL. CODE *  LL12819W□  LL12819G□  LL12819E□  LL12819K□
	W	LM	REAL LM	
14	1920	630	⊕ ⊖ 220-240 V	




* Complete the CODE LED COLOUR N | 4000K 3 | 3000K 2 | 2700K 1 | 2200K 1 | 2200K

Emissione luminosa 360°. | Light beam 360°. | Angle d'éclairage 360°.














Tok QL H1000


IP66 IK 10 20J xx9 CE UK ER 	LED			COL. CODE *  LL12820W□  LL12820G□  LL12820E□  LL12820K□
	W	LM	REAL LM	
5	480	140	⊕ ⊖ 220-240 V	



* Complete the CODE LED COLOUR N | 4000K 3 | 3000K 2 | 2700K 1 | 2200K

Tok Q2L H1000

IP66 IK 10 20J xx9 CE UK ER	LED			COL.	CODE *								
	W	LM	REAL LM										
	8	960	180	⊕ ⊖ 220-240 V	<table border="1"> <tr> <td></td> <td>LL12821W□</td> </tr> <tr> <td></td> <td>LL12821G□</td> </tr> <tr> <td></td> <td>LL12821E□</td> </tr> <tr> <td></td> <td>LL12821K□</td> </tr> </table>		LL12821W□		LL12821G□		LL12821E□		LL12821K□
	LL12821W□												
	LL12821G□												
	LL12821E□												
	LL12821K□												



* Complete the CODE □ LED COLOUR N | 4000K 3 | 3000K 2 | 2700K 1 | 2200K


Accessori | Accessories | Accessoires

Staffa Tok Q in acciaio

Tok Q steel fixing base

Base de fixation en acier pour Tok Q

CoL.	Code
-	LB1280004



Morsettiera coassiale

Morsettiera coassiale a 3 poli, IP68, per cavo ø 7/12 mm.


Coaxial Terminal block

Coaxial 3-pole terminal block, IP68, for cable diameter 7/12 mm.

Bornier coaxial

Bornier coaxial à 3 pôles, IP68, pour câble diam. 7/12 mm.

CoL.	Code
-	LB11293



Morsettiera lineare a 3 vie

Morsettiera lineare a 3 vie a 3 poli, IP68, per cavo ø 7/13,5 mm.


3 way linear terminal block

3-way 3-pole linear terminal block, IP68, for cable Ø 7/13.5 mm.

Bornier linéaire 3 voies

Bornier linéaire 3 voies à 3 pôles, IP68, pour câble diam. 7/13,5 mm.

CoL.	Code
-	LB11294





FEATURES

Predisposto per installazione su palo da Ø60 mm standard.
 Suitable for installation on standard post Ø60 mm.
 Prédéposé pour l'installation sur Poteau standard Ø60 mm.


↘ TOK



↘ TOK Q




TOK



Base di fissaggio compresa
 Fixing base included
 Base de fixation incluse

Palo da Ø60 mm standard
 Ø60 mm standard post.
 Standard Poteau Ø60 mm.

TOK Q




Base di fissaggio compresa
 Fixing base included
 Base de fixation incluse

Palo da Ø60 mm standard
 Ø60 mm standard post
 Standard Poteau Ø60 mm




FEATURES

TOK




TOK Q



Scegliendo diverse altezze, varia l'area illuminata.

By choosing different heights, the lit area changes.

En choisissant des hauteurs différentes, la zone éclairée change.



TOK
Q



Colori disponibili.
Available colours.
Couleurs disponibles.

TOK C 270 H150



TOK C 270 H150





TOK H150



TOK H150



TOK H400

TOK Ø H150



TOK Ø H150



TOK Q1 H400



TOK Q1 H700

